

Issue recurring - task #13

Redmine 4.x support

2019-01-23 15:10 - lupa18

Status:	closed	
Priority:	feature	
Assignee:	cryptogopher	
Category:		
Target version:	unspecified	
Redmine version:	unspecified	
Description		
Are you planning make the plugin works with redmine 4.x ? I'm getting errors at least with method 'to_prepare'		

History

#1 - 2019-01-24 15:02 - cryptogopher

Thank you for interest! Currently I don't have Redmine 4 installed, so it will take some time to run the tests + fix errors.

#2 - 2019-06-26 15:36 - lupa18

Hello ! Are you considering test with redmine 4 ? I think branch 3.x is arriving to end...

You can easy deploy 4.x redmine with docker :D

#3 - 2019-06-26 21:39 - cryptogopher

lupa18 wrote:

 Hello ! Are you considering test with redmine 4 ? I think branch 3.x is arriving to end...

 You can easy deploy 4.x redmine with docker :D

Yes, I already have Docker set up for development/testing. But I still didn't install Redmine 4 though... Anyway I will try to install it on weekend. I will probably go with 4.0.4 as it's the newest. Which version are you currently running?

#4 - 2019-06-28 14:06 - lupa18

I still running 3.x branch, exactly 3.4.11 and I'm using official redmine image, so if I change to 4.x branch I will be in 4.0.4

thanks!

#5 - 2019-07-03 18:47 - cryptogopher

- Status changed from new to closed

lupa18 wrote:

 I still running 3.x branch, exactly 3.4.11 and I'm using official redmine image, so if I change to 4.x branch I will be in 4.0.4

Plugin updated and tested with Redmine 4.0.4/ruby 2.4.6/Rails 5.2.3. You can checkout 1.2 tag/release from Github.

Closing issue for now. Please comment here if you'll find any errors.

#6 - 2019-07-05 22:57 - lupa18

Hello [cryptogopher](#)

I'm having this error:

```
app_1 | W, [2019-07-05T20:56:03.396637 #7] WARN -- : Creating scope :system. Overwriting existing method Enu
meration.system.
app_1 | rake aborted!
```

```
app_1 | ArgumentError: Missing `secret_key_base` for 'production' environment, set this string with `rails cr
edentials:edit`
```

do u need more logs?

#7 - 2019-07-05 23:04 - cryptogopher

lupa18 wrote:

Hello [cryptogopher](#)

I'm having this error:

[...]

This doesn't look like plugin error. Did you run:

```
bundle exec rake generate_secret_token
```

as described in Redmine install guide <https://www.redmine.org/projects/redmine/wiki/RedmineInstall#Step-5-Session-store-secret-generation> ?

#8 - 2019-07-05 23:24 - lupa18

- File Dockerfile added

I'm using this Dockerfile (see attachment)

When uncomment issue_recurrent lines, I got the error.

If let it commented, then works well.

#9 - 2019-07-06 13:30 - cryptogopher

lupa18 wrote:

I'm using this Dockerfile (see attachment)

When uncomment issue_recurrent lines, I got the error.

If let it commented, then works well.

I still think that your Docker Redmine installation is not configured properly. Try to start docker container without plugin installation steps. Then log into the container. Make sure, that all steps described in <https://www.redmine.org/projects/redmine/wiki/RedmineInstall> are executed (especially the secret generation step). Then install plugin and see if there are any errors.

Eventually try different Dockerfile, e.g. https://hub.docker.com/_/redmine (I didn't test it).

I'm running plugin in Redmine installation prepared according to Redmine guide (link above) and did not encounter such error.

#10 - 2019-07-08 19:32 - lupa18

It's weird, I fixed changing default run user to redmine.

thanks!

#11 - 2019-07-08 19:33 - cryptogopher

lupa18 wrote:

It's weird, I fixed changing default run user to redmine.

thanks!

Happy to hear it's working for you!

#12 - 2019-07-08 20:00 - lupa18

But when I put in a Dockerfile, then got it broke again.

So last sentence of this text is not working (from official docker image):

```
REDMINE_SECRET_KEY_BASE
```

This variable is used to create an initial config/secrets.yml and set the secret_key_base value, which is "used by Rails to encode cookies storing session data thus preventing their tampering. Generating a new secret token invalidates all existing sessions after restart" (session store). If you do not set this variable or provide a secrets.yml one will be generated using rake generate_secret_token.

So I set an explicit key using that env variable and now it works !

#13 - 2023-06-08 15:22 - admin

- Priority changed from bug to feature

#14 - 2023-06-08 15:31 - admin

- Tracker changed from 2 to task
- Target version set to unspecified
- Redmine version set to unspecified

Files

Dockerfile	391 Bytes	2019-07-05	lupa18
------------	-----------	------------	--------